

Package: es.dif (via r-universe)

September 18, 2024

Type Package

Title Compute Effect Sizes of the Difference

Version 1.0.2

Author Satoshi Aoki

Maintainer Satoshi Aoki <aokis1111@gmail.com>

Date 2020-05-01

Description Computes various effect sizes of the difference, their variance, and confidence interval. This package treats Cohen's d, Hedges' d, biased/unbiased c (an effect size between a mean and a constant) and e (an effect size between means without assuming the variance equality).

License MIT + file LICENSE

Encoding UTF-8

LazyData true

NeedsCompilation no

Date/Publication 2020-05-02 06:10:02 UTC

Repository <https://sa-to-shi-a-o-ki.r-universe.dev>

RemoteUrl <https://github.com/cran/es.dif>

RemoteRef HEAD

RemoteSha 4ba26a18dbfa5f4f096b302efea9ec2e7d745d8d

Contents

es.c	2
es.d	3
es.e	4
es.para.c	5
es.para.d	6
es.para.e	7
Index	8

`es.c``es.c`

Description

Calculates the effect size of the difference, its variance and confidence interval from a dataset and a constant.

Default function returns unbiased c (`unbiased=TRUE`). When `unbiased=FALSE`, it returns biased c . One of the sample size needs to be 1 and it is treated as a constant. The confidence interval is given by binary search. Therefore, the confidence interval has rounding error, and alpha with many digits will need very long computation time. In some situations, the confidence interval may be inaccurate, and the warning message appears because of the limitation of the function `pt()`, which is used for the calculation.

Usage

```
es.c(data1, data2, alpha=0.05, unbiased=TRUE, vector_out=FALSE)
```

Arguments

<code>data1</code>	Dataset 1 as a numeric vector.
<code>data2</code>	Dataset 2 as a numeric vector.
<code>alpha</code>	Confidence level, or type I error rate for the confidence interval. The default value gives 95% CI.
<code>unbiased</code>	When true (default), the bias corrected value is returned. When false, the value based on the whole population sample is returned.
<code>vector_out</code>	Whether output is in vector or not. When in vector, it is c (effect size, the variance, lower CI bound, higher CI bound).

References

Aoki S. (2020) Effect sizes of the differences between means without assuming the variance equality and between a mean and a constant. *Heliyon* 6(1): e03306.

Aoki S., Ito M. & Shimada M. (2019) Effect sizes of the differences between means without assuming the variance equality and between a mean and a constant. [arXiv:1901.09581](https://arxiv.org/abs/1901.09581).

Cohen, J. (1988). *Statistical Power Analysis for the Behavioral Sciences*, 2nd edition. New York: Academic Press.

Examples

```
data1<-c(1,2,3,4)
data2<-c(3)
es.c(data1,data2)
```

 es.d

es.d

Description

Calculates the effect size of the difference, its variance and confidence interval from two datasets (data1 and data2) under the variance equality. Default function returns Hedges' d (unbiased=TRUE). When unbiased=FALSE, it returns Cohen's d. The confidence interval is given by binary search. Therefore, the confidence interval has rounding error, and alpha with many digits will need very long computation time. In some situations, the confidence interval may be inaccurate, and the warning message appears because of the limitation of the function pt(), which is used for the calculation.

Usage

```
es.d(data1, data2, alpha=0.05, unbiased=TRUE, vector_out=FALSE)
```

Arguments

data1	Dataset 1 as a numeric vector.
data2	Dataset 2 as a numeric vector.
alpha	Confidence level, or type I error rate for the confidence interval. The default value gives 95% CI.
unbiased	When true (default), the bias corrected value is returned. When false, the value based on the whole population sample is returned.
vector_out	Whether output is in vector or not. When in vector, it is c(effect size, the variance, lower CI bound, higher CI bound).

References

Aoki S. (2020) Effect sizes of the differences between means without assuming the variance equality and between a mean and a constant. *Heliyon* 6(1): e03306.

Aoki S., Ito M. & Shimada M. (2019) Effect sizes of the differences between means without assuming the variance equality and between a mean and a constant. arXiv:1901.09581.

Cohen, J. (1988). *Statistical Power Analysis for the Behavioral Sciences*, 2nd edition. New York: Academic Press.

Hedges, L. V. (1981). Distribution theory for Glass's estimator of effect size and related estimators. *Journal of Educational Statistics* 6, 107–128.

Hedges, L. V. and Olkin I. (1985). *Statistical Methods for Meta-analysis*. Orlando: Academic Press.

Examples

```
data1<-c(1,2,3)
data2<-c(2,3,4)
es.d(data1,data2)
```

 es.e

es.e

Description

Calculates the effect size of the difference, its variance and confidence interval from two datasets (data1 and data2) without assuming the variance equality.

Default function returns unbiased e (unbiased=TRUE). When unbiased=FALSE, it returns biased e. The variance for small samples may be negative because of the inaccuracy of the approximation of the degree of freedom. The confidence interval is given by binary search. Therefore, the confidence interval has rounding error, and alpha with many digits will need very long computation time. In some situations, the confidence interval may be inaccurate, and the warning message appears because of the limitation of the function pt(), which is used for the calculation.

Usage

```
es.e(data1,data2,alpha=0.05,unbiased=TRUE,vector_out=FALSE)
```

Arguments

data1	Dataset 1 as a numeric vector.
data2	Dataset 2 as a numeric vector.
alpha	Confidence level, or type I error rate for the confidence interval. The default value gives 95% CI.
unbiased	When true (default), the bias corrected value is returned. When false, the value based on the whole population sample is returned.
vector_out	Whether output is in vector or not. When in vector, it is c(effect size, the variance, lower CI bound, higher CI bound).

References

Aoki S. (2020) Effect sizes of the differences between means without assuming the variance equality and between a mean and a constant. *Heliyon* 6(1): e03306.

Aoki S., Ito M. & Shimada M. (2019) Effect sizes of the differences between means without assuming the variance equality and between a mean and a constant. arXiv:1901.09581.

Examples

```
data1<-c(1,2,3)
data2<-c(2,3,4)
es.e(data1,data2)
```

 es.para.c

es.para.c

Description

Calculates the effect size of the difference, its variance and confidence interval from statistics of one dataset and a constant. Default function returns unbiased c (unbiased=TRUE). When unbiased=FALSE, it returns biased c . One of the sample size needs to be 1 and it is treated as a constant. The confidence interval is given by binary search. Therefore, the CI has rounding error, and alpha with many digits will need very long computation time. In some situations, the confidence interval may be inaccurate, and the warning message appears because of the limitation of the function pt(), which is used for the calculation.

Usage

```
es.para.c(mean1, mean2, var1, var2, n1, n2, alpha=0.05, unbiased=TRUE, vector_out=FALSE)
```

Arguments

mean1	Mean of dataset 1.
mean2	Mean of dataset 2.
var1	Unbiased (divided by $n1-1$) variance of dataset 1.
var2	Unbiased (divided by $n2-1$) variance of dataset 2.
n1	Sample size of dataset 1.
n2	Sample size of dataset 2.
alpha	Confidence level, or type I error rate for the confidence interval. The default value gives 95% CI.
unbiased	When true (default), the bias corrected value is returned. When false, the value based on the whole population sample is returned.
vector_out	Whether output is in vector or not. When in vector, it is $c(\text{effect size, the variance, lower CI bound, higher CI bound})$.

References

- Aoki S. (2020) Effect sizes of the differences between means without assuming the variance equality and between a mean and a constant. *Heliyon* 6(1): e03306.
- Aoki S., Ito M. & Shimada M. (2019) Effect sizes of the differences between means without assuming the variance equality and between a mean and a constant. arXiv:1901.09581.
- Cohen, J. (1988). *Statistical Power Analysis for the Behavioral Sciences*, 2nd edition. New York: Academic Press.

Examples

```
es.para.c(2.5, 3, 5/3, 0, 4, 1)
```

 es.para.d

es.para.d

Description

Calculates the effect size of the difference, its variance and confidence interval from statistics of two datasets under the variance equality. Default function returns Hedges' d (unbiased=TRUE). When unbiased=FALSE, it returns Cohen's d . The confidence interval is given by binary search. Therefore, the confidence interval has rounding error, and alpha with many digits will need very long computation time. In some situations, the confidence interval may be inaccurate, and the warning message appears because of the limitation of the function `pt()`, which is used for the calculation.

Usage

```
es.para.d(mean1, mean2, var1, var2, n1, n2, alpha=0.05, unbiased=TRUE, vector_out=FALSE)
```

Arguments

mean1	Mean of dataset 1.
mean2	Mean of dataset 2.
var1	Unbiased (divided by $n1-1$) variance of dataset 1.
var2	Unbiased (divided by $n2-1$) variance of dataset 2.
n1	Sample size of dataset 1.
n2	Sample size of dataset 2.
alpha	Confidence level, or type I error rate for the confidence interval. The default value gives 95% CI.
unbiased	When true (default), the bias corrected value is returned. When false, the value based on the whole population sample is returned.
vector_out	Whether output is in vector or not. When in vector, it is <code>c(effect size, the variance, lower CI bound, higher CI bound)</code> .

References

- Aoki S. (2020) Effect sizes of the differences between means without assuming the variance equality and between a mean and a constant. *Heliyon* 6(1): e03306.
- Aoki S., Ito M. & Shimada M. (2019) Effect sizes of the differences between means without assuming the variance equality and between a mean and a constant. arXiv:1901.09581.
- Cohen, J. (1988). *Statistical Power Analysis for the Behavioral Sciences*, 2nd edition. New York: Academic Press.
- Hedges, L. V. (1981). Distribution theory for Glass's estimator of effect size and related estimators. *Journal of Educational Statistics* 6, 107–128.
- Hedges, L. V. and Olkin I. (1985). *Statistical Methods for Meta-analysis*. Orlando: Academic Press.

Examples

```
es.para.d(2,3,1,2,4,3)
```

```
es.para.e
```

```
es.para.e
```

Description

Calculates the effect size of the difference, its variance and confidence interval from statistics of two datasets without assuming the variance equality.

Default function returns unbiased e (unbiased=TRUE). When unbiased=FALSE, it returns biased e. The variance for small samples may be negative because of the inaccuracy of the approximation of the degree of freedom. The confidence interval is given by binary search. Therefore, the confidence interval has rounding error, and alpha with many digits will need very long computation time. In some situations, the confidence interval may be inaccurate, and the warning message appears because of the limitation of the function pt(), which is used for the calculation.

Usage

```
es.para.e(mean1, mean2, var1, var2, n1, n2, alpha=0.05, unbiased=TRUE, vector_out=FALSE)
```

Arguments

mean1	Mean of dataset 1.
mean2	Mean of dataset 2.
var1	Unbiased (divided by n1-1) variance of dataset 1.
var2	Unbiased (divided by n2-2) variance of dataset 2.
n1	Sample size of dataset 1.
n2	Sample size of dataset 2.
alpha	Confidence level, or type I error rate for the confidence interval. The default value gives 95% CI.
unbiased	When true (default), the bias corrected value is returned. When false, the value based on the whole population sample is returned.
vector_out	Whether output is in vector or not. When in vector, it is c(effect size, the variance, lower CI bound, higher CI bound).

References

Aoki S. (2020) Effect sizes of the differences between means without assuming the variance equality and between a mean and a constant. *Heliyon* 6(1): e03306.

Aoki S., Ito M. & Shimada M. (2019) Effect sizes of the differences between means without assuming the variance equality and between a mean and a constant. arXiv:1901.09581.

Examples

```
es.para.e(2,3,1,2,4,3)
```

Index

es.c, [2](#)
es.d, [3](#)
es.e, [4](#)
es.para.c, [5](#)
es.para.d, [6](#)
es.para.e, [7](#)